



H-90-A

130148

WASHING INSTRUCTIONS

DO NOT USE ANY TYPE OF BLEACH OR OTHER FIBREWEAK CHEMICALS
 BEFORE CUTTING / EMBROIDERING, FABRIC SHOULD BE SOAKED IN WATER
 (ALL COMPONENTS SEPARATELY) FOR 15 MINUTES
 DO NOT GIVE RING FABRICS TREATING FROM 15 DEGREE TO 30 DEGREE C
 WASH COLOURED AND WHITE FABRICS SEPARATELY
 IRON CLOTHES AT MODERATE TEMPERATURES (DO NOT IRON FABRIC IN DIRECT SUNLIGHT
 (EMBROIDERED, HAND-SEW AND JERSEY FABRICS ARE NOT SUITABLE)



130148



130148





130148



130148



130148



H-90 A



H-90 B



H-90 C



H-90 D



H-90 E



HOOR TEX

130148



H-90-B

130148

WASHING INSTRUCTIONS

DO NOT USE ANY TYPE OF BLEACH OR OTHER CHEMICALS
BEFORE CUTTING / CUTTING FABRIC SHOULD BE SOAKED IN WATER
(ALL COMPONENTS SEPARATELY) FOR 15 MINUTES
DO NOT WASH WITH FABRIC IS TRUSTED FROM IS DRAIN TO AVOID CORP MARKS
WASH COLOURED AND WHITE FABRICS SEPARATELY
IRON CLOTHES AT MODERATE TEMPERATURES | DO NOT DRY FABRIC IN DIRECT SUNLIGHT
(EMBELLISHMENTS, HANDS FOR AND ACCESSORIES ARE NOT TIGHTEN)



H
HOOR TEX



H-90-C

130148

WASHING INSTRUCTIONS

DO NOT USE ANY TYPE OF BLEACH OR OTHER CHEMICALS
BEFORE CUTTING / SEWING. FABRIC SHOULD BE SOAKED IN WATER
(ALL COMPONENTS SEPARATELY) FOR 15 MINUTES
DO NOT WASH WITH FABRIC DYEING FROM 15 DEGREES TO 30 DEGREES C
WASH COLOURED AND WHITE FABRICS SEPARATELY
IRON CLOTHES AT MODERATE TEMPERATURES | DO NOT DRY FABRIC IN DIRECT SUNLIGHT
(RETAIN LONG, HANDS FOR AND ACCESSORIES ARE NOT INCLUDED)



H-90-D

130148

WASHING INSTRUCTIONS

DO NOT USE ANY TYPE OF BLEACH OR OTHER CHEMICALS
BEFORE CUTTING / SEWING, FABRIC SHOULD BE SOAKED IN WATER
(ALL COMPONENTS SEPARATELY) FOR 15 MINUTES
DO NOT WASH WITH FABRICS TURNING FROM A DYE TO ANOTHER COLOR
(WASH COLORED AND WHITE FABRICS SEPARATELY)
IRON CLOTHES AT MODERATE TEMPERATURES (DO NOT IRON FABRIC IN DIRECT SUNLIGHT
(EMBELLISHMENTS, HANDS FOR AND ACCESSORIES ARE NOT TIGHTEN)



H-90-E

WASHING INTRUCTIONS

DO NOT USE ANY TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
BEFORE CUTTING / STITCHING, FABRIC SHOULD BE SOAKED IN WATER
(ALL COMPONENTS SEPARATELY) FOR 15 MINUTES
DO NOT KEEP WET FABRIC IN TWISTED FROM IN ORDER TO AVOID COPY MARKS |
WASH COLOURED AND WHITE FABRICS SEPARATELY
IRON CLOTHES AT MODERATE TEMPERATURE | DO NOT DRY FABRIC IN DIRECT SUNLIGHT
(EXTRA LACES, HANGINGS AND ACCESSORIES ARE NOT INLUDED)

130148



HOOR TEX



H-90-E

WASHING INSTRUCTIONS

DO NOT USE ANY TYPE OF BLEACH OR OTHERS REMOVING CHEMICALS.
 BEFORE CUTTING / SEWING, FABRIC SHOULD BE SOAKED IN WATER
 FOR 15 MINUTES.
 DO NOT GIVE HOT FABRIC IN TUNNELS FROM 15 DEGREES TO AVOID COFF MARKS.
 WASH IN COLD WATER AND DRY IN SHADY PLACE.
 IRON CLOTHES AT MODERATE TEMPERATURE. (DO NOT USE FABRIC IN DIRECT SUNLIGHT
 (FABRIC, LINES, HANGING AND ACCESSORIES ARE NOT INCLUDED).

130148





130148



130148

